

SWA HIS to HVSTDBY  
File: IA-FCP-074.xls  
Author: daniel lakey



solar orbiter



**Procedure Summary**

**Objectives**

HIS HVSTDBY

**Summary of Constraints**

n/a

**Spacecraft Configuration**

**Start of Procedure**

Type Pre-condition Here

**End of Procedure**

Type Post-condition Here

**Reference File(s)**

**Input Command Sequences**

**Output Command Sequences**

AIAF074A

**Referenced Displays**

ANDs      GRDs      SLDs

**Configuration Control Information**

DATE	FOP ISSUE	VERSION	MODIFICATION DESCRIPTION	AUTHOR	SPR REF
25/03/2020		1	Renamed	dlakey	M7


SWA HIS to HVSTDBY  
File: IA-FCP-074.xls  
Author: daniel lakey



solar orbiter



## Procedure Flowchart Overview



SWA HIS to HVSTDBY File: IA-FCP-074.xls Author: daniel lakey	 
--	--

Step	Label/Time	Activity/Remarks/Branch	CK	Display
<b>Beginning of Procedure</b>				
Beginning of Sequence				
<b>AIAF074A</b>		<b>SWA HIS HVSTDBY</b> SeqFlags [ Crit/Plan/Stdalone/Sched ] : NSYN Forced Subschedule : SWA (109) TimeTag type : B		
1		<b>HVSTDBY</b>		
		Put HIS into HVSTDBY mode		
	+00.00.00	<b>Send SWA_TC_HIS_MODE</b> <b>ZIA58917 SWA_TC_HIS_MODE</b> TC Control Flags: GBM IL DSE --Y NC --- Command Parameters : <b>PIA59011 MODE = HVSTDBY</b>		
End of Sequence				
<b>AIAF074A</b>				
<b>End of Procedure</b>				