

SWA Enable One FDIR Monitor
File: IA-FCP-112.xls
Author: daniel lakey



Procedure Summary

Objectives

Enable 1 FDIR Monitor

Summary of Constraints

n/a

Spacecraft Configuration

Start of Procedure

Type Pre-condition Here

End of Procedure

Type Post-condition Here

Reference File(s)

Input Command Sequences

Output Command Sequences

AIAF112A

Referenced Displays

ANDs GRDs SLDs

Configuration Control Information

DATE	FOP ISSUE	VERSION	MODIFICATION DESCRIPTION	AUTHOR	SPR REF
25/03/2020		1	Renamed	dlakey	M7


SWA Enable One FDIR Monitor
File: IA-FCP-112.xls
Author: daniel lakey



solar orbiter



Procedure Flowchart Overview



SWA Enable One FDIR Monitor File: IA-FCP-112.xls Author: daniel lakey	 
---	--

Step	Label/Time	Activity/Remarks/Branch	CK	Display
Beginning of Procedure				
Beginning of Sequence				
AIAF112A		SWA Enab 1 FDIR Mon SeqFlags [Crit/Plan/Stdalone/Sched] : NSYN Forced Subschedule : SWA (109) TimeTag type : B <u>Formal Parameter List</u> {FP} XF112A01 DefVal = THFIREFLAG_MI (MON_ID)		
1		Enable Next step(s): -> END		
		Enable one FDIR monitor (default is to enable Thruster Firing Flag response)		
	+00.00.00	Execute Telecommand ZIA58063 SWA_TC_PARS_MON_EN TC Control Flags: GBM IL DSE --Y NC --- Command Parameters : PIA60452 NUM_OF_MON_ID = 1 <hex> PIA60449 MON_ID = XF112A01		
End of Sequence				
AIAF112A				
End of Procedure				