

SWA EAS2 disable all FDIR monitors
File: IA-FCP-124.xls
Author: n/a



Procedure Summary

Objectives

SWA disable all EAS2 FDIR monitors

Summary of Constraints

n/a

Spacecraft Configuration

Start of Procedure

Type Pre-condition Here

End of Procedure

Type Post-condition Here

Reference File(s)

Input Command Sequences

Output Command Sequences

AIAF124A

Referenced Displays

ANDs GRDs SLDs


Configuration Control Information

DATE	FOP ISSUE	VERSION	MODIFICATION DESCRIPTION	AUTHOR	SPR REF
------	-----------	---------	--------------------------	--------	---------

SWA EAS2 disable all FDIR monitors
File: IA-FCP-124.xls
Author: n/a



Procedure Flowchart Overview



SWA EAS2 disable all FDIR monitors File: IA-FCP-124.xls Author: n/a	 
---	--

Step	Label/Time	Activity/Remarks/Branch	CK	Display
Beginning of Procedure				
Beginning of Sequence				
	AIAF124A	SWA EAS2 DisAllFdir SeqFlags [Crit/Plan/Stdalone/Sched] : NSYN Forced Subschedule : SWA (109) TimeTag type : B		
1		Step 1		
		Disable EAS2 FDIR		
	+00.00.00	Send SWA_TC_PARS_MON_DIS ZIA58064 SWA_TC_PARS_MON_DIS TC Control Flags: GBM IL DSE --Y NC --- Command Parameters : PIA60452 NUM_OF_MON_ID = 12 <dec> PIA60449 MON_ID = EAS2SPWHB_MI <hex> PIA60449 MON_ID = E2_3V3_MI <hex> PIA60449 MON_ID = E2_1V5_MI <hex> PIA60449 MON_ID = E2OPTMPMON <hex> PIA60449 MON_ID = E2HVOUTVMON <hex> PIA60449 MON_ID = E2MCPVMON <hex> PIA60449 MON_ID = E2GRIDVMON <hex> PIA60449 MON_ID = E210VAPOSVMON <hex>		
		PIA60449 MON_ID = E228VPOSVMON <hex> PIA60449 MON_ID = E2HVGENTHERMON <hex> PIA60449 MON_ID = E2HVMODTHERMON <hex> PIA60449 MON_ID = EAS2MISSACK_MI <hex>		
End of Sequence				
AIAF124A				
End of Procedure				