

SWA Enable HKTM File: IA-FCP-230.xls Author: daniel lakey	 
---	--

Procedure Summary

Objectives

SWA TC Enable HK report generation

Summary of Constraints

n/a

Spacecraft Configuration

Start of Procedure

Type Pre-condition Here

End of Procedure

Type Post-condition Here

Reference File(s)

Input Command Sequences

Output Command Sequences

AIAF230A

Referenced Displays

ANDs GRDs SLDs

Configuration Control Information

DATE	FOP ISSUE	VERSION	MODIFICATION DESCRIPTION	AUTHOR	SPR REF
17/10/2018		1	Updated TC Sequences	dlakey	M7
25/02/2019		2	Updated due to latest SWA feedback	dlakey	M7
18/03/2019		1			M7
16/08/2019		2			M7
20/01/2020		3			M7


SWA Enable HKTM
File: IA-FCP-230.xls
Author: daniel lakey



solar orbiter



Procedure Flowchart Overview



SWA Enable HKTM File: IA-FCP-230.xls Author: daniel lakey	 
---	--

Step	Label/Time	Activity/Remarks/Branch	CK	Display
Beginning of Procedure				
Beginning of Sequence				
AIAF230A		SWA Enable HK Report SeqFlags [Crit/Plan/Stdalone/Sched] : NSYN TimeTag type : B <u>Formal Parameter List</u> {FP} XF230A01 DefVal = DPU_HK (TMSID)		
1		Enable HKTM		
		Select HK type (cyclic or diagnostic) to be generated		
	+00.00.00	Send SWA_TC_HK_EN ZIA58050 SWA_TC_HK_EN TC Control Flags: GBM IL DSE --Y NC --- Command Parameters : PIA58050 TMSID = XF230A01		
End of Sequence				
AIAF230A				
End of Procedure				